



Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of the Claims:

1. (Currently Amended) A method of mapping electronic devices coupled to a wireless network comprising:

displaying a first list of names of a plurality of electronic devices coupled to the wireless network on a display screen of a first electronic device coupled to the wireless network;

~~displaying a visual cue on the display screen in response to receiving a~~
Bluetooth broadcast of a wireless identification signal from a second electronic device sent to multiple electronic devices, the identification signal including a first default name assigned by a user of the second electronic device;

in response to the first electronic device unable to translate the first default name, displaying a visual cue on the display screen~~the cue~~ identifying a second default name associated with the second electronic device in the first list of names of electronic devices; and

providing an option on the first electronic device to rename the second default name associated with the second electronic device to a local name.

2. (Currently Amended) The method of claim 1, further comprising providing an option to broadcast a wireless identification signal from the first electronic device to the multiple electronic devices, including the second electronic device, the identification signal including a first default name assigned by a user of the first electronic device;

in response to the second electronic device unable to translate the first default name, displaying a visual cue on the display screen of the second device ~~to cause a visual cue to be displayed on a display screen of the second electronic device,~~ the cue identifying a second default name associated with the first electronic device in a second list of names of a plurality of electronic devices coupled to the wireless network.

3. (Previously Presented) The method of claim 2, further comprising providing an option to broadcast a wireless activation signal to a user-selected electronic device from the first list of names of electronic devices, the activation signal to cause the user-selected electronic device to identify itself using an audio or visual cue.

4. (Previously Presented) The method of claim 1, further comprising providing an option to broadcast a wireless activation signal to multiple user-selected electronic devices from the first list of names of electronic devices, the activation signal to cause the user-selected electronic devices to identify themselves using an audio or visual cue.

5. (Original) The method of claim 1, further comprising providing a data exchange option on the first electronic device to send a file to the second electronic device, the data exchange option identifying the second electronic device by the local name.
6. (Original) The method of claim 4, wherein displaying the first list of names is done in response to a user of the first electronic device selecting a wireless network mapping menu option.
7. (Original) A computer system programmed to implement the method of claim 1.
8. (Currently Amended) A method of mapping electronic devices coupled to a wireless network comprising:
 - displaying a first list of names of a first plurality of electronic devices coupled to a first wireless network on a display screen of a first electronic device;
 - providing an option to broadcast a wireless activation signal to multiple user-selected electronic devices from the first list of names of electronic devices, the activation signal to cause the user-selected electronic devices to identify themselves using an audio or visual cue;
 - receiving a Bluetooth broadcast of a wireless identification signal from at least one of the user-selected electronic devices, the identification signal including a first default name assigned by a user of the user-selected electronic device;

in response to the first electronic device unable to translate the first default name, displaying a visual cue on the display screen, the cue identifying a second default name associated with the user-selected electronic device in the first list of names of electronic devices; and

providing an option on the first electronic device to rename the default name associated with a second electronic device to a local name; and

providing a first data exchange option on the first electronic device to exchange data with the user-selected electronic devices.

9. (Previously Presented) The method of claim 8, further comprising displaying a visual cue on the display screen in response to receiving a broadcast of a wireless identification signal from a second electronic device, the cue identifying a default name associated with the second electronic device in a second list of names of a second plurality of electronic devices coupled to a second wireless network.

10. (Cancelled)

11. (Currently Amended) The method of claim ~~8~~¹⁰, further comprising providing an option to broadcast a wireless identification signal from the first electronic device to, multiple electronic devices, including the second electronic device, to cause a visual cue to be displayed on a display screen of the second electronic device, the cue identifying a default name associated with the first electronic device in a third

list of names of a plurality of electronic devices coupled to the second wireless network.

12. (Original) The method of claim 11, further comprising providing a second data exchange option on the first electronic device to receive a file from the second electronic device, the data exchange option identifying the second electronic device by the local name.

13. (Original) The method of claim 8, wherein displaying the first list of names is done in response to a user of the first electronic device selecting a wireless network mapping menu option.

14. (Original) The method of claim 8, further comprising providing an option on the first electronic device to rename a name associated with the user-selected electronic device to a local name, the first data exchange option identifying the user-selected electronic device by the local name.

15. (Original) A computer system programmed to implement the method of claim 8.

16. (Cancelled)

17. (Cancelled)

18. (Currently Amended) A computer-readable medium comprising a plurality of instructions readable therefrom, the instructions, when executed by a first electronic device, cause the first electronic device to perform operations comprising:

displaying a first list of names of a plurality of electronic devices coupled to a wireless network on a display screen of the first electronic device;

receiving a Bluetooth broadcast of a wireless identification signal from a second electronic device sent to multiple electronic devices, the identification signal including a first default name assigned by a user of the second electronic device;

in response to the first electronic device unable to translate the first default name, displaying a visual cue on the display screen identifying a second default name associated with the second electronic device in the first list of names of

electronic devices; and~~displaying a visual cue on the display screen in response to receiving a broadcast of a wireless identification signal from a second electronic device to multiple electronic devices, the cue identifying a default name associated with the second electronic device in the first list of names of electronic devices; and~~

providing an option on the first electronic device to rename the second default name associated with the second electronic device to a local name.

19. (Currently Amended) The medium of claim 18, wherein the operations further comprise providing an option to broadcast a wireless identification signal

from the first electronic device to multiple electronic devices, including the second electronic device, the identification signal including a first default name assigned by a user of the first electronic device;

in response to the second electronic device unable to translate the first default name, displaying a visual cue on the display screen of the second device ~~to cause a visual cue to be displayed on a display screen of the second electronic device,~~ the cue identifying a second default name associated with the first electronic device in a second list of names of a plurality of electronic devices coupled to the wireless network.

20. (Previously Presented) The medium of claim 19, wherein the operations further comprise providing an option to broadcast a wireless activation signal to multiple user-selected electronic devices from the first list of names of electronic devices, the activation signal to cause the user-selected electronic devices to identify themselves using an audio or visual cue.

21. (Previously Presented) The medium of claim 18, wherein the operations further comprise providing an option to broadcast a wireless activation signal to multiple user-selected electronic devices from the first list of names of electronic devices, the activation signal to cause the user-selected electronic devices to identify themselves using an audio or visual cue.

22. (Original) The medium of claim 18, wherein the operations further comprise providing a data exchange option on the first electronic device to send a file to the second electronic device, the data exchange option identifying the second electronic device by the local name.

23. (Original) The medium of claim 18, wherein displaying the first list of names is done in response to a user of the first electronic device selecting a wireless network mapping menu option.